



# 2015

Qingdao Everun Machinery Co., Ltd



Address: Room 214, Building 1, State Fair Future  
Park, No. 18 Cailing Road, Qingdao, China  
Tel: 0086-532-8975317  
Fax: 0086-532-8975327  
E-mail: info@everun.cc  
Facebook: everunmachinery  
Youtube: everunmachinery  
Website: www.everun.cc





Qingdao Everun Machinery Co., Ltd

## ABOUT EVERUN



Qingdao Everun Machinery Co., Ltd is a company which has more than 10 years' exporting experiences of wheel loaders and farming machinery. We have very much learned about the strengths and weaknesses of these machines. In 2012, we started to produce these machines ourselves under the help of our European customer. Most of our products are designed on the basis of European customers' suggestion. Now EVERUN products can be found working in more than 30 countries.

Product research and development is always one of the most important factors in EVERUN's success, now we are specializing in producing and exporting of wheel loaders, tractors, tillers etc. EVERUN has adopted ISO 9001: 2000, the international quality management system, and most of our products have also passed CE, SGS, TUV certificate.

Excellent after-service can earn more market; this will always be first principle in Everun's culture. In order to make a good service for our European customers, we have set up a warehouse for spare parts in Germany, which could guarantee European customer a better after-service. Also registering Everun European Company is in an orderly way now. Choose Everun, excellent service will be guaranteed.

We hope our professional experience and skills can bring you prosperity, and we look forward to establishing good, long-term business relationships with all of our customers. Everun, run together with you forever.

EVERUN

Qingdao Everun Machinery Co., Ltd



# ER08-7B Mini Hydraulic Crawler Excavator

# ER16-9D

## ER08-7B

Mini Hydraulic Crawler Excavator

### Specifications:

Capacity (kg)	3700
Max. Digging Height (m)	13.5
Max. Reach (m)	14.5
Max. Digging Force (kN)	12
Max. Digging Force (kg)	1200
Max. Digging Force (lb)	2645
Max. Digging Force (hp)	16.4
Max. Digging Force (psi)	230
Max. Digging Force (bar)	23
Max. Digging Force (MPa)	2.3
Max. Digging Force (kPa)	230
Max. Digging Force (kN)	12
Max. Digging Force (kg)	1200
Max. Digging Force (lb)	2645
Max. Digging Force (hp)	16.4
Max. Digging Force (psi)	230
Max. Digging Force (bar)	23
Max. Digging Force (MPa)	2.3
Max. Digging Force (kPa)	230



Capacity (kg)	3700
Max. Digging Height (m)	13.5
Max. Reach (m)	14.5
Max. Digging Force (kN)	12
Max. Digging Force (kg)	1200
Max. Digging Force (lb)	2645
Max. Digging Force (hp)	16.4
Max. Digging Force (psi)	230
Max. Digging Force (bar)	23
Max. Digging Force (MPa)	2.3
Max. Digging Force (kPa)	230



### Specifications:

Capacity (kg)	3700
Max. Digging Height (m)	13.5
Max. Reach (m)	14.5
Max. Digging Force (kN)	12
Max. Digging Force (kg)	1200
Max. Digging Force (lb)	2645
Max. Digging Force (hp)	16.4
Max. Digging Force (psi)	230
Max. Digging Force (bar)	23
Max. Digging Force (MPa)	2.3
Max. Digging Force (kPa)	230



## ER16-9D

EVERUN  
Mini Hydraulic Crawler Excavator



ER60-8B

Hydraulic Crawler Excavator

ER65-8B

ER60-8B

<b>General</b>	Model No. ER60-8B	Capacity (kg)	6000
<b>Dimensions</b>	Overall length (mm)	10000	
	Overall width (mm)	2500	
	Overall height (mm)	3300	
<b>Performance</b>	Rated engine power (kW)	37	
	Rated engine torque (kNm)	12.5	
	Rated hydraulic flow (L/min)	120	
	Rated hydraulic pressure (MPa)	25	
<b>Weight</b>	Operating weight (kg)	10500	
	Maximum ground pressure (kPa)	0.1	

Specifications:

**General**  
 Model No. ER60-8B  
 Type: 360° Hydraulic Crawler Excavator  
 Capacity (kg): 6000  
 Dimensions (mm):  
 Overall length: 10000  
 Overall width: 2500  
 Overall height: 3300  
**Performance**  
 Rated engine power (kW): 37  
 Rated engine torque (kNm): 12.5  
 Rated hydraulic flow (L/min): 120  
 Rated hydraulic pressure (MPa): 25  
**Weight**  
 Operating weight (kg): 10500  
 Maximum ground pressure (kPa): 0.1

<b>General</b>	Model No. ER65-8B	Capacity (kg)	6500
<b>Dimensions</b>	Overall length (mm)	10500	
	Overall width (mm)	2500	
	Overall height (mm)	3300	
<b>Performance</b>	Rated engine power (kW)	40	
	Rated engine torque (kNm)	13.5	
	Rated hydraulic flow (L/min)	120	
	Rated hydraulic pressure (MPa)	25	
<b>Weight</b>	Operating weight (kg)	11000	
	Maximum ground pressure (kPa)	0.1	



Specifications:

**General**  
 Model No. ER65-8B  
 Type: 360° Hydraulic Crawler Excavator  
 Capacity (kg): 6500  
 Dimensions (mm):  
 Overall length: 10500  
 Overall width: 2500  
 Overall height: 3300  
**Performance**  
 Rated engine power (kW): 40  
 Rated engine torque (kNm): 13.5  
 Rated hydraulic flow (L/min): 120  
 Rated hydraulic pressure (MPa): 25  
**Weight**  
 Operating weight (kg): 11000  
 Maximum ground pressure (kPa): 0.1



ER65-8B







# ER460-8C

# Hydraulic Crawler Excavator

## ER460-8C

General	
Model design	ER460-8C
Year of production	2018
Weight (gross)	14000 kg
Weight (operating)	14000 kg
Height (total)	3200 mm
Height (to top of boom)	3000 mm
Height (to top of cab)	2800 mm
Height (to top of counterweight)	2600 mm
Height (to top of boom)	2400 mm
Height (to top of boom)	2200 mm
Height (to top of boom)	2000 mm
Height (to top of boom)	1800 mm
Height (to top of boom)	1600 mm
Height (to top of boom)	1400 mm
Height (to top of boom)	1200 mm
Height (to top of boom)	1000 mm
Height (to top of boom)	800 mm
Height (to top of boom)	600 mm
Height (to top of boom)	400 mm
Height (to top of boom)	200 mm
Height (to top of boom)	0 mm

### Specifications:

General	
Model design	ER460-8C
Year of production	2018
Weight (gross)	14000 kg
Weight (operating)	14000 kg
Height (total)	3200 mm
Height (to top of boom)	3000 mm
Height (to top of cab)	2800 mm
Height (to top of counterweight)	2600 mm
Height (to top of boom)	2400 mm
Height (to top of boom)	2200 mm
Height (to top of boom)	2000 mm
Height (to top of boom)	1800 mm
Height (to top of boom)	1600 mm
Height (to top of boom)	1400 mm
Height (to top of boom)	1200 mm
Height (to top of boom)	1000 mm
Height (to top of boom)	800 mm
Height (to top of boom)	600 mm
Height (to top of boom)	400 mm
Height (to top of boom)	200 mm
Height (to top of boom)	0 mm



## ERYL41

### Specifications:

General	
Model design	ERYL41
Year of production	2018
Weight (gross)	4000 kg
Weight (operating)	4000 kg
Height (total)	1800 mm
Height (to top of boom)	1600 mm
Height (to top of cab)	1400 mm
Height (to top of counterweight)	1200 mm
Height (to top of boom)	1000 mm
Height (to top of boom)	800 mm
Height (to top of boom)	600 mm
Height (to top of boom)	400 mm
Height (to top of boom)	200 mm
Height (to top of boom)	0 mm



EVERUN

## ERYL41C

### Specifications:

General	
Model design	ERYL41C
Year of production	2018
Weight (gross)	4000 kg
Weight (operating)	4000 kg
Height (total)	1800 mm
Height (to top of boom)	1600 mm
Height (to top of cab)	1400 mm
Height (to top of counterweight)	1200 mm
Height (to top of boom)	1000 mm
Height (to top of boom)	800 mm
Height (to top of boom)	600 mm
Height (to top of boom)	400 mm
Height (to top of boom)	200 mm
Height (to top of boom)	0 mm



## ERYL42A

## Ride-on Vibratory Roller

### ERYL42A

#### Specifications:

<ul style="list-style-type: none"> <li>1 <b>ERYL42A</b></li> <li>2 <b>Roller</b></li> <li>3 Serial number</li> <li>4 Capacity capacity in hours: 200</li> <li>5 <b>Dimensions</b></li> <li>6 Roll width (maximum): 1070mm</li> <li>7 Maximum width: 1000</li> <li>8 Working length: 1200</li> <li>9 Working height: 2000</li> <li>10 Drive axle width: 910</li> <li>11 Wheel</li> <li>12 Tyre: Solid, 400x150</li> <li>13 Motor: Mechanical drive, parallel shaft</li> <li>14 Drive: Hydraulic</li> <li>15 Power: 10/12kW, 10/10kW</li> <li>16 Top travel speed: 40/20km/h, 40/20</li> <li>17 Hydraulic</li> <li>18 Power: 11/10kW</li> <li>19 Fuel tank capacity: 15L</li> <li>20 Capacity: 1.5</li> <li>21 Fuel consumption: 10/10L/h</li> <li>22 <b>Weight</b></li> <li>23 Weight of roller without fuel and water: 1200kg</li> <li>24 Weight: 1200kg</li> <li>25 Fuel tank: 15L</li> <li>26 Fuel consumption: 10/10L/h</li> <li>27 Working time: 200/100h</li> <li>28 <b>Capacity</b></li> <li>29 Capacity: 200h</li> </ul>
---



### ERYL42B

#### Specifications:

<ul style="list-style-type: none"> <li>1 <b>ERYL42B</b></li> <li>2 <b>Roller</b></li> <li>3 Serial number</li> <li>4 Capacity capacity in hours: 200</li> <li>5 <b>Dimensions</b></li> <li>6 Roll width (maximum): 1070mm</li> <li>7 Maximum width: 1000</li> <li>8 Working length: 1200</li> <li>9 Working height: 2000</li> <li>10 Drive axle width: 910</li> <li>11 Wheel</li> <li>12 Tyre: Solid, 400x150</li> <li>13 Motor: Hydraulic drive, parallel shaft</li> <li>14 Drive: Hydraulic</li> <li>15 Power: 10/12kW, 10/10kW</li> <li>16 Top travel speed: 40/20km/h, 40/20</li> <li>17 Hydraulic</li> <li>18 Power: 11/10kW</li> <li>19 Fuel tank capacity: 15L</li> <li>20 Capacity: 1.5</li> <li>21 Fuel consumption: 10/10L/h</li> <li>22 <b>Weight</b></li> <li>23 Weight of roller without fuel and water: 1200kg</li> <li>24 Weight: 1200kg</li> <li>25 Fuel tank: 15L</li> <li>26 Fuel consumption: 10/10L/h</li> <li>27 Working time: 200/100h</li> <li>28 <b>Capacity</b></li> <li>29 Capacity: 200h</li> </ul>
--



### ERYL42AC

#### Specifications:

<ul style="list-style-type: none"> <li>1 <b>ERYL42AC</b></li> <li>2 <b>Roller</b></li> <li>3 Serial number</li> <li>4 Capacity capacity in hours: 200</li> <li>5 <b>Dimensions</b></li> <li>6 Roll width (maximum): 1070mm</li> <li>7 Maximum width: 1000</li> <li>8 Working length: 1200</li> <li>9 Working height: 2000</li> <li>10 Drive axle width: 910</li> <li>11 Wheel</li> <li>12 Tyre: Solid, 400x150</li> <li>13 Motor: Hydraulic drive, parallel shaft</li> <li>14 Drive: Hydraulic</li> <li>15 Power: 10/12kW, 10/10kW</li> <li>16 Top travel speed: 40/20km/h, 40/20</li> <li>17 Hydraulic</li> <li>18 Power: 11/10kW</li> <li>19 Fuel tank capacity: 15L</li> <li>20 Capacity: 1.5</li> <li>21 Fuel consumption: 10/10L/h</li> <li>22 <b>Weight</b></li> <li>23 Weight of roller without fuel and water: 1200kg</li> <li>24 Weight: 1200kg</li> <li>25 Fuel tank: 15L</li> <li>26 Fuel consumption: 10/10L/h</li> <li>27 Working time: 200/100h</li> <li>28 <b>Capacity</b></li> <li>29 Capacity: 200h</li> </ul>
---



### ERYL42BC

#### Specifications:

<ul style="list-style-type: none"> <li>1 <b>ERYL42BC</b></li> <li>2 <b>Roller</b></li> <li>3 Serial number</li> <li>4 Capacity capacity in hours: 200</li> <li>5 <b>Dimensions</b></li> <li>6 Roll width (maximum): 1070mm</li> <li>7 Maximum width: 1000</li> <li>8 Working length: 1200</li> <li>9 Working height: 2000</li> <li>10 Drive axle width: 910</li> <li>11 Wheel</li> <li>12 Tyre: Solid, 400x150</li> <li>13 Motor: Hydraulic drive, parallel shaft</li> <li>14 Drive: Hydraulic</li> <li>15 Power: 10/12kW, 10/10kW</li> <li>16 Top travel speed: 40/20km/h, 40/20</li> <li>17 Hydraulic</li> <li>18 Power: 11/10kW</li> <li>19 Fuel tank capacity: 15L</li> <li>20 Capacity: 1.5</li> <li>21 Fuel consumption: 10/10L/h</li> <li>22 <b>Weight</b></li> <li>23 Weight of roller without fuel and water: 1200kg</li> <li>24 Weight: 1200kg</li> <li>25 Fuel tank: 15L</li> <li>26 Fuel consumption: 10/10L/h</li> <li>27 Working time: 200/100h</li> <li>28 <b>Capacity</b></li> <li>29 Capacity: 200h</li> </ul>
---



MCORAL

www.mcoral.com

## ERYL51

## Ride-on Hydraulic Vibratory Roller

### ERYL51

#### Specifications:

<b>Model</b>	ERYL51
<b>Capacity</b>	1.5 ton
<b>Engine</b>	1.8 kW / 2.5 HP
<b>Dimensions</b>	1800x1000x1100 (mm)
<b>Weight</b>	1500 kg
<b>Speed</b>	0-10 km/h
<b>Rolling width</b>	1800 mm
<b>Rolling speed</b>	100 m/min
<b>Rolling force</b>	15 kN
<b>Rolling pressure</b>	1.5 MPa
<b>Rolling weight</b>	1500 kg



#### Specifications:

<b>Model</b>	ERYL51BC-1.7ton
<b>Capacity</b>	1.7 ton
<b>Engine</b>	2.2 kW / 3.0 HP
<b>Dimensions</b>	1800x1000x1100 (mm)
<b>Weight</b>	1700 kg
<b>Speed</b>	0-10 km/h
<b>Rolling width</b>	1800 mm
<b>Rolling speed</b>	100 m/min
<b>Rolling force</b>	17 kN
<b>Rolling pressure</b>	1.7 MPa
<b>Rolling weight</b>	1700 kg

### ERYL51BC-1.7ton



### ERYL51C-1.7ton

#### Specifications:

<b>Model</b>	ERYL51C
<b>Capacity</b>	1.7 ton
<b>Engine</b>	2.2 kW / 3.0 HP
<b>Dimensions</b>	1800x1000x1100 (mm)
<b>Weight</b>	1700 kg
<b>Speed</b>	0-10 km/h
<b>Rolling width</b>	1800 mm
<b>Rolling speed</b>	100 m/min
<b>Rolling force</b>	17 kN
<b>Rolling pressure</b>	1.7 MPa
<b>Rolling weight</b>	1700 kg



### ERYL52-1.5ton

#### Specifications:

<b>Model</b>	ERYL52
<b>Capacity</b>	1.5 ton
<b>Engine</b>	1.8 kW / 2.5 HP
<b>Dimensions</b>	1800x1000x1100 (mm)
<b>Weight</b>	1500 kg
<b>Speed</b>	0-10 km/h
<b>Rolling width</b>	1800 mm
<b>Rolling speed</b>	100 m/min
<b>Rolling force</b>	15 kN
<b>Rolling pressure</b>	1.5 MPa
<b>Rolling weight</b>	1500 kg



## **ERYL61** Ride-on Hydraulic Vibratory Roller

### **ERYL52C-1.7ton**

#### Specifications:

<b>ERYL52C</b>
<b>Roller</b>
Capacity (Metric) 1700kg
Capacity (Imperial) 3750 lbs
Capacity (Metric) 1700kg
Capacity (Imperial) 3750 lbs
Capacity (Metric) 1700kg
Capacity (Imperial) 3750 lbs
Capacity (Metric) 1700kg
Capacity (Imperial) 3750 lbs
Capacity (Metric) 1700kg
Capacity (Imperial) 3750 lbs



### **ERYL61B-3ton**

#### Specifications:

<b>ERYL61B</b>
<b>Roller</b>
Capacity (Metric) 3000kg
Capacity (Imperial) 6600 lbs
Capacity (Metric) 3000kg
Capacity (Imperial) 6600 lbs
Capacity (Metric) 3000kg
Capacity (Imperial) 6600 lbs
Capacity (Metric) 3000kg
Capacity (Imperial) 6600 lbs
Capacity (Metric) 3000kg
Capacity (Imperial) 6600 lbs



### **ERYL61-3ton**

#### Specifications:

<b>ERYL61</b>
<b>Roller</b>
Capacity (Metric) 3000kg
Capacity (Imperial) 6600 lbs
Capacity (Metric) 3000kg
Capacity (Imperial) 6600 lbs
Capacity (Metric) 3000kg
Capacity (Imperial) 6600 lbs
Capacity (Metric) 3000kg
Capacity (Imperial) 6600 lbs
Capacity (Metric) 3000kg
Capacity (Imperial) 6600 lbs

### **ERYL61N-3ton**

#### Specifications:

<b>ERYL61N</b>
<b>Roller</b>
Capacity (Metric) 3000kg
Capacity (Imperial) 6600 lbs
Capacity (Metric) 3000kg
Capacity (Imperial) 6600 lbs
Capacity (Metric) 3000kg
Capacity (Imperial) 6600 lbs
Capacity (Metric) 3000kg
Capacity (Imperial) 6600 lbs
Capacity (Metric) 3000kg
Capacity (Imperial) 6600 lbs



**ERYL71 Ride-on Hydraulic Vibratory Roller**

**ERYL301 Remote Control Double Drum Roller**

**ERYL71-4ton**

**Specifications:**

- 1. Model: ERYL71
- 2. Weight: 4000kg
- 3. Working width: 2000mm
- 4. Working speed: 0-1.2km/h
- 5. Motor power: 15kW
- 6. Fuel tank: 40L
- 7. Water tank: 200L
- 8. Drive: Hydraulic
- 9. Hydraulic: 40L/min
- 10. Hydraulic: 40L/min
- 11. Hydraulic: 40L/min
- 12. Hydraulic: 40L/min
- 13. Hydraulic: 40L/min
- 14. Hydraulic: 40L/min
- 15. Hydraulic: 40L/min
- 16. Hydraulic: 40L/min
- 17. Hydraulic: 40L/min
- 18. Hydraulic: 40L/min
- 19. Hydraulic: 40L/min
- 20. Hydraulic: 40L/min



**ERYL301**

**Specifications:**

- 1. Model: ERYL301
- 2. Weight: 12000kg
- 3. Working width: 2000mm
- 4. Motor power: 15kW
- 5. Fuel tank: 40L
- 6. Water tank: 200L
- 7. Drive: Hydraulic
- 8. Hydraulic: 40L/min
- 9. Hydraulic: 40L/min
- 10. Hydraulic: 40L/min
- 11. Hydraulic: 40L/min
- 12. Hydraulic: 40L/min
- 13. Hydraulic: 40L/min
- 14. Hydraulic: 40L/min
- 15. Hydraulic: 40L/min
- 16. Hydraulic: 40L/min
- 17. Hydraulic: 40L/min
- 18. Hydraulic: 40L/min
- 19. Hydraulic: 40L/min
- 20. Hydraulic: 40L/min



**ERYL71B-4ton**

**Specifications:**

- 1. Model: ERYL71B
- 2. Weight: 4000kg
- 3. Working width: 2000mm
- 4. Motor power: 15kW
- 5. Fuel tank: 40L
- 6. Water tank: 200L
- 7. Drive: Hydraulic
- 8. Hydraulic: 40L/min
- 9. Hydraulic: 40L/min
- 10. Hydraulic: 40L/min
- 11. Hydraulic: 40L/min
- 12. Hydraulic: 40L/min
- 13. Hydraulic: 40L/min
- 14. Hydraulic: 40L/min
- 15. Hydraulic: 40L/min
- 16. Hydraulic: 40L/min
- 17. Hydraulic: 40L/min
- 18. Hydraulic: 40L/min
- 19. Hydraulic: 40L/min
- 20. Hydraulic: 40L/min



**ERYL301C**

**Specifications:**

- 1. Model: ERYL301C
- 2. Weight: 12000kg
- 3. Working width: 2000mm
- 4. Motor power: 15kW
- 5. Fuel tank: 40L
- 6. Water tank: 200L
- 7. Drive: Hydraulic
- 8. Hydraulic: 40L/min
- 9. Hydraulic: 40L/min
- 10. Hydraulic: 40L/min
- 11. Hydraulic: 40L/min
- 12. Hydraulic: 40L/min
- 13. Hydraulic: 40L/min
- 14. Hydraulic: 40L/min
- 15. Hydraulic: 40L/min
- 16. Hydraulic: 40L/min
- 17. Hydraulic: 40L/min
- 18. Hydraulic: 40L/min
- 19. Hydraulic: 40L/min
- 20. Hydraulic: 40L/min



www.everun.com

## ERYL51 Edge Finish (Edge Cutting/ Edge-pressing) Vibratory Roller ERYL61

### ERYL51S

#### Specifications:

<b>Model</b>	ERYL51S
<b>Speed</b>	0-10 km/h
<b>Capacity</b>	2000 kg
<b>Working capacity</b>	1000 kg
<b>Dimensions</b>	
- Overall length	1810 mm
- Overall width	750 mm
- Overall height	1150 mm
<b>Weight</b>	1150 kg
<b>Engine</b>	1.8 kW
<b>Transmission</b>	5-speed
<b>Drive</b>	4WD
<b>Brakes</b>	Hydraulic
<b>Steering</b>	Hydraulic
<b>Roll-over protection</b>	ROPS
<b>Operator's seat</b>	Adjustable
<b>Lighting</b>	LED
<b>Warranty</b>	3 years
<b>Accessories</b>	Roller cover, LED lights, hydraulic hose, etc.



### ERYL61S

#### Specifications:

<b>Model</b>	ERYL61S
<b>Speed</b>	0-10 km/h
<b>Capacity</b>	2000 kg
<b>Working capacity</b>	1000 kg
<b>Dimensions</b>	
- Overall length	1810 mm
- Overall width	750 mm
- Overall height	1150 mm
<b>Weight</b>	1150 kg
<b>Engine</b>	1.8 kW
<b>Transmission</b>	5-speed
<b>Drive</b>	4WD
<b>Brakes</b>	Hydraulic
<b>Steering</b>	Hydraulic
<b>Roll-over protection</b>	ROPS
<b>Operator's seat</b>	Adjustable
<b>Lighting</b>	LED
<b>Warranty</b>	3 years
<b>Accessories</b>	Roller cover, LED lights, hydraulic hose, etc.



### ERYL51CS

#### Specifications:

<b>Model</b>	ERYL51CS
<b>Speed</b>	0-10 km/h
<b>Capacity</b>	2000 kg
<b>Working capacity</b>	1000 kg
<b>Dimensions</b>	
- Overall length	1810 mm
- Overall width	750 mm
- Overall height	1150 mm
<b>Weight</b>	1150 kg
<b>Engine</b>	1.8 kW
<b>Transmission</b>	5-speed
<b>Drive</b>	4WD
<b>Brakes</b>	Hydraulic
<b>Steering</b>	Hydraulic
<b>Roll-over protection</b>	ROPS
<b>Operator's seat</b>	Adjustable
<b>Lighting</b>	LED
<b>Warranty</b>	3 years
<b>Accessories</b>	Roller cover, LED lights, hydraulic hose, etc.



### ERYL61BS

#### Specifications:

<b>Model</b>	ERYL61BS
<b>Speed</b>	0-10 km/h
<b>Capacity</b>	2000 kg
<b>Working capacity</b>	1000 kg
<b>Dimensions</b>	
- Overall length	1810 mm
- Overall width	750 mm
- Overall height	1150 mm
<b>Weight</b>	1150 kg
<b>Engine</b>	1.8 kW
<b>Transmission</b>	5-speed
<b>Drive</b>	4WD
<b>Brakes</b>	Hydraulic
<b>Steering</b>	Hydraulic
<b>Roll-over protection</b>	ROPS
<b>Operator's seat</b>	Adjustable
<b>Lighting</b>	LED
<b>Warranty</b>	3 years
<b>Accessories</b>	Roller cover, LED lights, hydraulic hose, etc.



## ERYL11 Walk-behind Single Drum Road Roller ERYL21

### ERYL11

#### Specifications:

**ERYL11**

Power: 11kW  
Working capacity: 0.15m³/h

**Dimensions:**  
Overall length: 1.1m  
Overall width: 0.5m  
Working width: 0.4m  
Fuel tank capacity: 15L

**Weight:**  
Net weight: 110kg  
Gross weight: 120kg

**Performance:**  
Max. forward speed: 4.0km/h  
Max. reverse speed: 2.0km/h  
Max. climbing speed: 1.0km/h  
Max. pulling force: 1.0kN

**Other features:**  
Fuel tank: 15L  
Fuel consumption: 1.0L/h  
Max. fuel pressure: 0.1MPa  
Max. fuel flow: 1.0L/h  
Max. fuel pressure: 0.1MPa  
Max. fuel flow: 1.0L/h



### ERYL21

#### Specifications:

**ERYL21**

Power: 21kW  
Working capacity: 0.3m³/h

**Dimensions:**  
Overall length: 1.2m  
Overall width: 0.5m  
Working width: 0.4m  
Fuel tank capacity: 20L

**Weight:**  
Net weight: 120kg  
Gross weight: 130kg

**Performance:**  
Max. forward speed: 4.0km/h  
Max. reverse speed: 2.0km/h  
Max. climbing speed: 1.0km/h  
Max. pulling force: 1.0kN

**Other features:**  
Fuel tank: 20L  
Fuel consumption: 1.0L/h  
Max. fuel pressure: 0.1MPa  
Max. fuel flow: 1.0L/h  
Max. fuel pressure: 0.1MPa  
Max. fuel flow: 1.0L/h



### ERYL11C

#### Specifications:

**ERYL11C**

Power: 11kW  
Working capacity: 0.15m³/h

**Dimensions:**  
Overall length: 1.1m  
Overall width: 0.5m  
Working width: 0.4m  
Fuel tank capacity: 15L

**Weight:**  
Net weight: 110kg  
Gross weight: 120kg

**Performance:**  
Max. forward speed: 4.0km/h  
Max. reverse speed: 2.0km/h  
Max. climbing speed: 1.0km/h  
Max. pulling force: 1.0kN

**Other features:**  
Fuel tank: 15L  
Fuel consumption: 1.0L/h  
Max. fuel pressure: 0.1MPa  
Max. fuel flow: 1.0L/h  
Max. fuel pressure: 0.1MPa  
Max. fuel flow: 1.0L/h



### ERYL21C

#### Specifications:

**ERYL21C**

Power: 21kW  
Working capacity: 0.3m³/h

**Dimensions:**  
Overall length: 1.2m  
Overall width: 0.5m  
Working width: 0.4m  
Fuel tank capacity: 20L

**Weight:**  
Net weight: 120kg  
Gross weight: 130kg

**Performance:**  
Max. forward speed: 4.0km/h  
Max. reverse speed: 2.0km/h  
Max. climbing speed: 1.0km/h  
Max. pulling force: 1.0kN

**Other features:**  
Fuel tank: 20L  
Fuel consumption: 1.0L/h  
Max. fuel pressure: 0.1MPa  
Max. fuel flow: 1.0L/h  
Max. fuel pressure: 0.1MPa  
Max. fuel flow: 1.0L/h



## ERYL22 Walk-behind Single Drum Road Roller ERYL24

### ERYL22

#### Specifications:

**ERYL22**

Power: 6.5 kW/9HP petrol engine  
 Working capacity: 2000 kg

**Dimensions:**  
 Overall length: 1.5m  
 Overall width: 0.7m  
 Overall height: 1.0m  
 Working width: 0.7m  
 Wheel base: 0.9m

**Weight:**  
 Net: 150kg (incl. fuel tank)  
 Max. Capacity: 2000 kg (incl. fuel tank)  
 Max. Fuel: 15L  
 Fuel Capacity: 15L  
 Fuel Consumption: 0.25L/hr

**Other Features:**  
 Number of drums: 1  
 Max. engine speed: 3000 rpm  
 Max. fuel tank: 15L  
 Max. fuel tank capacity: 15L  
 Max. fuel tank capacity: 15L  
 Max. fuel tank capacity: 15L



### ERYL24

#### Specifications:

**ERYL24**

Power: 8.5 kW/11.5HP petrol engine  
 Working capacity: 2500 kg

**Dimensions:**  
 Overall length: 1.6m  
 Overall width: 0.7m  
 Overall height: 1.0m  
 Working width: 0.7m  
 Wheel base: 0.9m

**Weight:**  
 Net: 160kg (incl. fuel tank)  
 Max. Capacity: 2500 kg (incl. fuel tank)  
 Max. Fuel: 15L  
 Fuel Capacity: 15L  
 Fuel Consumption: 0.25L/hr

**Other Features:**  
 Number of drums: 1  
 Max. engine speed: 3000 rpm  
 Max. fuel tank: 15L  
 Max. fuel tank capacity: 15L  
 Max. fuel tank capacity: 15L



### ERYL22C

#### Specifications:

**ERYL22C**

Power: 6.5 kW/9HP petrol engine  
 Working capacity: 2000 kg

**Dimensions:**  
 Overall length: 1.5m  
 Overall width: 0.7m  
 Overall height: 1.0m  
 Working width: 0.7m  
 Wheel base: 0.9m

**Weight:**  
 Net: 150kg (incl. fuel tank)  
 Max. Capacity: 2000 kg (incl. fuel tank)  
 Max. Fuel: 15L  
 Fuel Capacity: 15L  
 Fuel Consumption: 0.25L/hr

**Other Features:**  
 Number of drums: 1  
 Max. engine speed: 3000 rpm  
 Max. fuel tank: 15L  
 Max. fuel tank capacity: 15L  
 Max. fuel tank capacity: 15L



### ERYL24C

#### Specifications:

**ERYL24C**

Power: 8.5 kW/11.5HP petrol engine  
 Working capacity: 2500 kg

**Dimensions:**  
 Overall length: 1.6m  
 Overall width: 0.7m  
 Overall height: 1.0m  
 Working width: 0.7m  
 Wheel base: 0.9m

**Weight:**  
 Net: 160kg (incl. fuel tank)  
 Max. Capacity: 2500 kg (incl. fuel tank)  
 Max. Fuel: 15L  
 Fuel Capacity: 15L  
 Fuel Consumption: 0.25L/hr

**Other Features:**  
 Number of drums: 1  
 Max. engine speed: 3000 rpm  
 Max. fuel tank: 15L  
 Max. fuel tank capacity: 15L  
 Max. fuel tank capacity: 15L



MOTOBAB



**ERYL102 Walk-behind Vibratory Trench Roller**

**Walk-behind Double Drum Vibratory Roller ERYL31**

**ERYL102**

**Specifications:**

- Model: ERYL102
- Weight: 1100 kg
- Capacity: 1000 kg
- Engine: 1000 cc
- Power: 1000 W
- Speed: 10 km/h
- Dimensions: 1000 x 500 x 500 mm
- Material: Steel
- Color: Yellow
- Warranty: 1 year
- Manufacturer: ERYL



**ERYL31**

**Specifications:**

- Model: ERYL31
- Weight: 1500 kg
- Capacity: 1500 kg
- Engine: 1500 cc
- Power: 1500 W
- Speed: 15 km/h
- Dimensions: 1500 x 500 x 500 mm
- Material: Steel
- Color: Yellow
- Warranty: 1 year
- Manufacturer: ERYL



**ERYL102C**

**Specifications:**

- Model: ERYL102C
- Weight: 1100 kg
- Capacity: 1000 kg
- Engine: 1000 cc
- Power: 1000 W
- Speed: 10 km/h
- Dimensions: 1000 x 500 x 500 mm
- Material: Steel
- Color: Yellow
- Warranty: 1 year
- Manufacturer: ERYL



**ERYL31BC**

**Specifications:**

- Model: ERYL31BC
- Weight: 1500 kg
- Capacity: 1500 kg
- Engine: 1500 cc
- Power: 1500 W
- Speed: 15 km/h
- Dimensions: 1500 x 500 x 500 mm
- Material: Steel
- Color: Blue and Orange
- Warranty: 1 year
- Manufacturer: ERYL



ERYL

www.eryl.com

## ERYL32 Walk-behind Double Drum Road Roller ERYL33

### ERYL32

#### Specifications:

<b>Model</b>	ERYL32
<b>Motor Power</b>	1500W (1500W/1500W)
<b>Operating Capacity</b>	12000m <sup>2</sup> /h
<b>Rolling Width</b>	1800mm
<b>Rolling Speed</b>	15m/min
<b>Rolling Force</b>	150kN
<b>Rolling Pressure</b>	150kPa
<b>Rolling Weight</b>	220kg
<b>Rolling Diameter</b>	300mm
<b>Rolling Width</b>	1800mm
<b>Rolling Length</b>	1200mm
<b>Rolling Capacity</b>	12000m <sup>2</sup> /h
<b>Rolling Force</b>	150kN
<b>Rolling Pressure</b>	150kPa
<b>Rolling Weight</b>	220kg
<b>Rolling Diameter</b>	300mm
<b>Rolling Width</b>	1800mm
<b>Rolling Length</b>	1200mm
<b>Rolling Capacity</b>	12000m <sup>2</sup> /h
<b>Rolling Force</b>	150kN
<b>Rolling Pressure</b>	150kPa
<b>Rolling Weight</b>	220kg
<b>Rolling Diameter</b>	300mm
<b>Rolling Width</b>	1800mm
<b>Rolling Length</b>	1200mm
<b>Rolling Capacity</b>	12000m <sup>2</sup> /h



### ERYL33

#### Specifications:

<b>Model</b>	ERYL33
<b>Motor Power</b>	1500W (1500W/1500W)
<b>Operating Capacity</b>	12000m <sup>2</sup> /h
<b>Rolling Width</b>	1800mm
<b>Rolling Speed</b>	15m/min
<b>Rolling Force</b>	150kN
<b>Rolling Pressure</b>	150kPa
<b>Rolling Weight</b>	220kg
<b>Rolling Diameter</b>	300mm
<b>Rolling Width</b>	1800mm
<b>Rolling Length</b>	1200mm
<b>Rolling Capacity</b>	12000m <sup>2</sup> /h
<b>Rolling Force</b>	150kN
<b>Rolling Pressure</b>	150kPa
<b>Rolling Weight</b>	220kg
<b>Rolling Diameter</b>	300mm
<b>Rolling Width</b>	1800mm
<b>Rolling Length</b>	1200mm
<b>Rolling Capacity</b>	12000m <sup>2</sup> /h



### ERYL32C

#### Specifications:

<b>Model</b>	ERYL32C
<b>Motor Power</b>	1500W (1500W/1500W)
<b>Operating Capacity</b>	12000m <sup>2</sup> /h
<b>Rolling Width</b>	1800mm
<b>Rolling Speed</b>	15m/min
<b>Rolling Force</b>	150kN
<b>Rolling Pressure</b>	150kPa
<b>Rolling Weight</b>	220kg
<b>Rolling Diameter</b>	300mm
<b>Rolling Width</b>	1800mm
<b>Rolling Length</b>	1200mm
<b>Rolling Capacity</b>	12000m <sup>2</sup> /h
<b>Rolling Force</b>	150kN
<b>Rolling Pressure</b>	150kPa
<b>Rolling Weight</b>	220kg
<b>Rolling Diameter</b>	300mm
<b>Rolling Width</b>	1800mm
<b>Rolling Length</b>	1200mm
<b>Rolling Capacity</b>	12000m <sup>2</sup> /h



### ERYL33S

#### Specifications:

<b>Model</b>	ERYL33S
<b>Motor Power</b>	1500W (1500W/1500W)
<b>Operating Capacity</b>	12000m <sup>2</sup> /h
<b>Rolling Width</b>	1800mm
<b>Rolling Speed</b>	15m/min
<b>Rolling Force</b>	150kN
<b>Rolling Pressure</b>	150kPa
<b>Rolling Weight</b>	220kg
<b>Rolling Diameter</b>	300mm
<b>Rolling Width</b>	1800mm
<b>Rolling Length</b>	1200mm
<b>Rolling Capacity</b>	12000m <sup>2</sup> /h
<b>Rolling Force</b>	150kN
<b>Rolling Pressure</b>	150kPa
<b>Rolling Weight</b>	220kg
<b>Rolling Diameter</b>	300mm
<b>Rolling Width</b>	1800mm
<b>Rolling Length</b>	1200mm
<b>Rolling Capacity</b>	12000m <sup>2</sup> /h



ERYL33

ERYL32

## ERYL34 Walk-behind Double Drum Road Roller ERYL34

### ERYL34A

#### Specifications:

**ERYL34A**  
 Type: 3.0 Diesel, 3000mm x 600mm  
 Working capacity: 4.5 t/h (15 t/h)  
 Max. fuel tank capacity: 300L (80 gal)  
 Max. engine power: 15 kW  
 Max. speed: 10 km/h  
 Max. height: 1.2 m  
 Max. width: 1.2 m  
 Max. weight: 1.2 t  
 Max. fuel tank capacity: 300L (80 gal)  
 Max. engine power: 15 kW  
 Max. speed: 10 km/h  
 Max. height: 1.2 m  
 Max. width: 1.2 m  
 Max. weight: 1.2 t



### ERYL34AS

#### Specifications:

**ERYL34AS**  
 Type: 3.0 Diesel, 3000mm x 600mm  
 Working capacity: 4.5 t/h (15 t/h)  
 Max. fuel tank capacity: 300L (80 gal)  
 Max. engine power: 15 kW  
 Max. speed: 10 km/h  
 Max. height: 1.2 m  
 Max. width: 1.2 m  
 Max. weight: 1.2 t



### ERYL34AC

#### Specifications:

**ERYL34AC**  
 Type: 3.0 Diesel, 3000mm x 600mm  
 Working capacity: 4.5 t/h (15 t/h)  
 Max. fuel tank capacity: 300L (80 gal)  
 Max. engine power: 15 kW  
 Max. speed: 10 km/h  
 Max. height: 1.2 m  
 Max. width: 1.2 m  
 Max. weight: 1.2 t



### ERYL34B

#### Specifications:

**ERYL34B**  
 Type: 3.0 Diesel, 3000mm x 600mm  
 Working capacity: 4.5 t/h (15 t/h)  
 Max. fuel tank capacity: 300L (80 gal)  
 Max. engine power: 15 kW  
 Max. speed: 10 km/h  
 Max. height: 1.2 m  
 Max. width: 1.2 m  
 Max. weight: 1.2 t



ERYL34A, ERYL34AS, ERYL34AC, ERYL34B

## ERYL34 Walk-behind Double Drum Road Roller ERYL35

### ERYL34BC

#### Specifications:

**ERYL34BC**

- Capacity: 3.1 m<sup>3</sup> (100 ft<sup>3</sup>)
- Working width: 3.7 m
- Working length: 3.8 m
- Maximum weight: 3.2 t
- Maximum speed: 4.0 km/h
- Maximum torque: 150 Nm
- Maximum power: 17.0 kW
- Maximum fuel tank: 18 l
- Maximum oil tank: 18 l
- Maximum water tank: 18 l
- Maximum gravel tank: 18 l
- Maximum dust tank: 18 l
- Maximum water spray: 18 l
- Maximum gravel spray: 18 l
- Maximum dust spray: 18 l
- Maximum water spray: 18 l
- Maximum gravel spray: 18 l
- Maximum dust spray: 18 l



### ERYL35

#### Specifications:

**ERYL35**

- Capacity: 3.1 m<sup>3</sup> (100 ft<sup>3</sup>)
- Working width: 3.7 m
- Working length: 3.8 m
- Maximum weight: 3.2 t
- Maximum speed: 4.0 km/h
- Maximum torque: 150 Nm
- Maximum power: 17.0 kW
- Maximum fuel tank: 18 l
- Maximum oil tank: 18 l
- Maximum water tank: 18 l
- Maximum gravel tank: 18 l
- Maximum dust tank: 18 l
- Maximum water spray: 18 l
- Maximum gravel spray: 18 l
- Maximum dust spray: 18 l
- Maximum water spray: 18 l
- Maximum gravel spray: 18 l
- Maximum dust spray: 18 l



### ERYL34BS

#### Specifications:

**ERYL34BS**

- Capacity: 3.1 m<sup>3</sup> (100 ft<sup>3</sup>)
- Working width: 3.7 m
- Working length: 3.8 m
- Maximum weight: 3.2 t
- Maximum speed: 4.0 km/h
- Maximum torque: 150 Nm
- Maximum power: 17.0 kW
- Maximum fuel tank: 18 l
- Maximum oil tank: 18 l
- Maximum water tank: 18 l
- Maximum gravel tank: 18 l
- Maximum dust tank: 18 l
- Maximum water spray: 18 l
- Maximum gravel spray: 18 l
- Maximum dust spray: 18 l
- Maximum water spray: 18 l
- Maximum gravel spray: 18 l
- Maximum dust spray: 18 l



### ERYL35C

#### Specifications:

**ERYL35C**

- Capacity: 3.1 m<sup>3</sup> (100 ft<sup>3</sup>)
- Working width: 3.7 m
- Working length: 3.8 m
- Maximum weight: 3.2 t
- Maximum speed: 4.0 km/h
- Maximum torque: 150 Nm
- Maximum power: 17.0 kW
- Maximum fuel tank: 18 l
- Maximum oil tank: 18 l
- Maximum water tank: 18 l
- Maximum gravel tank: 18 l
- Maximum dust tank: 18 l
- Maximum water spray: 18 l
- Maximum gravel spray: 18 l
- Maximum dust spray: 18 l
- Maximum water spray: 18 l
- Maximum gravel spray: 18 l
- Maximum dust spray: 18 l

